





Single Ply Membrane Details Mechanically Fixed System Fascia drip trim detail Mechanical fixing Thermal insulation Fatra FF810 membrane Hot air weld SEE NOTE Fatra FF854 **PVC** sealant Fatra FP887 100 x 100 x 15mm fascia drip trim Fatra FF818 vapour Steel decking by others control layer Fascia flashingby others FATRA UK LTD. UNIT 12 Eaves beam THE TIMBER YARD EAST MOORS ROAD OCEAN PARK CARDIFF, CF24 5EE **MECHANICAL FIXINGS:-**Composite wall T 029 2048 7954 E technical@fatra.co.uk Selection of fixings:-F 029 2048 9226 W www.fatra.co.uk panel by others Deck - Metal/Timber/plywood FBS-5.8 fasteners Single Ply Membrane Details Metal deck 15mm penetration to underside Timber deck 12mm penetration to underside **MECHANICALLY FIXED SYSTEM FASCIA DRIP TRIM DETAIL** Deck - Concrete FHD-6.1 fasteners DATE: SCALE: DRAWN: Concrete deck 25mm embedment JANUARY 2018 1:2 @ A3 LB DRAWING NO: **REVISION: FATRA MF-21**


Single Ply Membrane Details Mechanically Fixed System Filleted fascia drip trim detail Hot air weld Mechanical fixing Thermal insulation Fatra FF810 membrane SEE NOTE Fatra FF854 **PVC** sealant Fatra Special gull wing drip trim Fatra FF818 vapour Steel decking by others control layer Fascia flashing by others FATRA UK LTD. UNIT 12 Eaves beam THE TIMBER YARD EAST MOORS ROAD OCEAN PARK CARDIFF, CF24 5EE **MECHANICAL FIXINGS:-**Composite wall T 029 2048 7954 E technical@fatra.co.uk Selection of fixings:-F 029 2048 9226 W www.fatra.co.uk panel by others Deck - Metal/Timber/plywood FBS-5.8 fasteners Single Ply Membrane Details Metal deck 15mm penetration to underside Timber deck 12mm penetration to underside **MECHANICALLY FIXED SYSTEM** FILLETED FASCIA DRIP TRIM DETAIL Deck - Concrete FHD-6.1 fasteners DATE: SCALE: DRAWN: Concrete deck 25mm embedment JANUARY 2018 1:2 @ A3 LB DRAWING NO: **REVISION: FATRA MF-22**

































































Single Ply Membrane Details Mechanically Fixed System Upstand to pitched tiles Tiles -Fatra flat trim Tilting fillet --Hot air weld -Mechanical fixing Fatra FF810 SEE NOTE membrane Minimum 150mm Lay board Fatra FF810 Fatra FF854 Hot air weld Fatra angled trim membrane PVC sealant -

MECHANICAL FIXINGS:-

Selection of fixings:-Deck - Metal/Timber/plywood FBS-5.8 fasteners Metal deck 15mm penetration to underside Timber deck 12mm penetration to underside

Deck - Concrete FHD-6.1 fasteners Concrete deck 25mm embedment FATRA UK LTD. UNIT 12 THE TIMBER YARD EAST MOORS ROAD OCEAN PARK CARDIFF, CF24 5EE



T 029 2048 7954 F 029 2048 9226 E technical@fatra.co.uk
W www.fatra.co.uk

Single Ply Membrane Details

MECHANICALLY FIXED SYSTEM

UPSTAND TO PITCHED TILES

DATE:	SCALE:	DRAWN:
JANUARY 2018		LB
DRAWING NO:		REVISION:
FATRA MF-46		_

